**ADDENDUM 8 TO APPENDIX 8 TO SCHEDULE 3.3
TO THE
COMPREHENSIVE INFRASTRUCTURE AGREEMENT**

SAMPLE REPORTS

## Sample Reports for Data Network Services

System Resource

Executive Service Level Management Summary

The Executive Service Level Management Summary Report provides an overview of system performance. Each chart details key metrics aggregated for all systems. Key indicators of performance are shown individually and combined into a Grade of Service chart to reveal system health at a glance.

Customers
Wed, Jun 8, 2005

Customer Name	Total Exception	Queue Length Exception	CPU Utilization Exception	Memory Utilization Exception	Swap Utilization Exception	Page Out Exception
Customer Unassigned	415	37	16	338	24	17

Locations
Wed, Jun 8, 2005

| Location Name	Total Exception	Queue Length Exceptions	CPU Utilization Exception	Memory Utilization Exceptions	Swap Utilization Exceptions	Page Out Exceptions
Location Unassigned	415	37	16	338	24	17

System Resource

CPU Forecast

The System Resource System CPU Forecast report lists all systems within 90 days of a CPU utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days to Threshold (DTT)
Systems Projected to be within 90 Days of 100% CPU Utilization

System	DTT CPU Utilization	Average CPU Utilization	30 Day CPU Utilization	60 Day CPU Utilization	90 Day CPU Utilization
IMCWSL01.indygov.org	57.00	19.07	68.37	104.01	139.65

Vendor	Model	O/S	Location	Customer	CPU Utilization Threshold
Sun	sun4u	SunOS 5.8 Generic_117350−18	Location Unassigned	Customer Unassigned	80.00

Grade Of Service (GOS)
IMCWSL01.indygov.org
Mon, May 9, 2005 - Wed, Jun 1, 2005

Memory Utilization
IMCWSL01.indygov.org
#### Mon, May 9, 2005 - Wed, Jun 1, 2005

System Resource

CPU Forecast

The System Resource System CPU Forecast report lists all systems within 90 days of a CPU utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days to Threshold (DTT)
Systems Projected to be within 90 Days of 100% CPU Utilization

System	DTT CPU Utilization	Average CPU Utilization	30 Day CPU Utilization	60 Day CPU Utilization	90 Day CPU Utilization
IMCWWC2K3.indygov.org	61.00	33.08	71.38	99.40	127.43

Vendor	Model	O/S	Location	Customer	CPU Utilization Threshold
Microsoft	Intel Pentium+ or unknown	NT 5.2 SvcPk	Location Unassigned	Customer Unassigned	80.00

Grade Of Service (GOS)
IMCWWC2K3.indygov.org
Tue, May 10, 2005 - Wed, Jun 1, 2005

Legend:
- CPU Utilization
- Memory Utilization
- Queue Length
- Swap Utilization

Memory Utilization	CPU Utilization	Swap Utilization	No of Page Outs

Memory Utilization
IMCWWC2K3.indygov.org
Tue, May 10, 2005 - Wed, Jun 1, 2005

— Average Memory Utilization

System Resource

CPU Forecast

The System Resource System CPU Forecast report lists all systems within 90 days of a CPU utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days to Threshold (DTT)
Systems Projected to be within 90 Days of 100% CPU Utilization

System	DTT CPU Utilization	Average CPU Utilization	30 Day CPU Utilization	60 Day CPU Utilization	90 Day CPU Utilization
www6.indygov.org	51.00	10.34	67.66	114.77	161.88

Vendor	Model	O/S	Location	Customer	CPU Utilization Threshold
Sun	sun4u	SunOS 5.8 Generic_117350−18	Location Unassigned	Customer Unassigned	80.00

Grade Of Service (GOS)
www6.indygov.org
Thu, May 19, 2005 - Wed, Jun 1, 2005

- CPU Utilization
- Memory Utilization
- Queue Length
- Swap Utilization

| Memory Utilization | CPU Utilization | Swap Utilization | No of Page Outs |

Memory Utilization
www6.indygov.org
Thu, May 19, 2005 - Wed, Jun 1, 2005

— Average Memory Utilization

NORTHROP GRUMMAN | DEFINING THE FUTURE

SLR 48: Router Availability

The Router Service Level Management report indicates whether interfaces are meeting contracted service levels for availability and response time.

Device List

Availability

Device
FourSquared_R1.indygov.org

Time Period	NGAvailability
05/16/2005 12:00 AM	100.00
05/17/2005 12:00 AM	100.00
05/18/2005 12:00 AM	100.00
05/19/2005 12:00 AM	100.00
05/20/2005 12:00 AM	100.00
05/21/2005 12:00 AM	100.00
05/22/2005 12:00 AM	100.00
05/23/2005 12:00 AM	100.00
05/24/2005 12:00 AM	100.00
05/25/2005 12:00 AM	100.00
05/26/2005 12:00 AM	100.00
05/27/2005 12:00 AM	100.00
05/28/2005 12:00 AM	100.00
05/29/2005 12:00 AM	100.00
05/30/2005 12:00 AM	100.00
05/31/2005 12:00 AM	100.00

Response Times
For: FourSquared_R1.indygov.org: Null0
Tue, Jun 7 7:00 AM - Thu, Jun 9 6:00 PM

NORTHROP GRUMMAN DEFINING THE FUTURE

SLR 48: Router Availability

The Router Service Level Management report indicates whether interfaces are meeting contracted service levels for availability and response time.

Device List

Availability

Device
DouglasR1.indygov.org

Time Period	NGAvailability
05/16/2005 12:00 AM	100.00
05/17/2005 12:00 AM	100.00
05/18/2005 12:00 AM	100.00
05/19/2005 12:00 AM	100.00
05/20/2005 12:00 AM	100.00
05/21/2005 12:00 AM	100.00
05/22/2005 12:00 AM	100.00
05/23/2005 12:00 AM	100.00
05/24/2005 12:00 AM	100.00
05/25/2005 12:00 AM	100.00
05/26/2005 12:00 AM	100.00
05/27/2005 12:00 AM	100.00
05/28/2005 12:00 AM	100.00
05/29/2005 12:00 AM	100.00
05/30/2005 12:00 AM	100.00
05/31/2005 12:00 AM	100.00

Hourly | Daily

**Response Times
For: DouglasR1.indygov.org: Null0
Tue, Jun 7 7:00 AM - Thu, Jun 9 6:00 PM**

— Max Response Time
— Avg Response Time

NORTHROP GRUMMAN

DEFINING THE FUTURE

SLR 48: Router Availability

The Router Service Level Management report indicates whether interfaces are meeting contracted service levels for availability and response time.

Device List

Availability

Device
HEALTHHOSP_R1.indygov.org

Time Period	NGAvailability
05/16/2005 12:00 AM	100.00
05/17/2005 12:00 AM	100.00
05/18/2005 12:00 AM	100.00
05/19/2005 12:00 AM	100.00
05/20/2005 12:00 AM	100.00
05/21/2005 12:00 AM	100.00
05/22/2005 12:00 AM	100.00
05/23/2005 12:00 AM	100.00
05/24/2005 12:00 AM	100.00
05/25/2005 12:00 AM	100.00
05/26/2005 12:00 AM	100.00
05/27/2005 12:00 AM	100.00
05/28/2005 12:00 AM	100.00
05/29/2005 12:00 AM	100.00
05/30/2005 12:00 AM	100.00
05/31/2005 12:00 AM	100.00

Hourly	Daily

Response Times
For: HEALTHHOSP_R1.indygov.org: Null(
Tue, Jun 7 7:00 AM - Thu, Jun 9 6:00 PM

— Max Response Time
— Avg Response Time

NORTHROP GRUMMAN DEFINING THE FUTURE

SLR 48: Router Availability

The Router Service Level Management report indicates whether interfaces are meeting contracted service levels for availability and response time.

Device List

Availability

Time Period	NGAvailability
05/16/2005 12:00 AM	100.00
05/17/2005 12:00 AM	100.00
05/18/2005 12:00 AM	100.00
05/19/2005 12:00 AM	100.00
05/20/2005 12:00 AM	100.00
05/21/2005 12:00 AM	100.00
05/22/2005 12:00 AM	100.00
05/23/2005 12:00 AM	100.00
05/24/2005 12:00 AM	100.00
05/25/2005 12:00 AM	100.00
05/26/2005 12:00 AM	100.00
05/27/2005 12:00 AM	100.00
05/28/2005 12:00 AM	100.00
05/29/2005 12:00 AM	100.00
05/30/2005 12:00 AM	100.00
05/31/2005 12:00 AM	100.00

Device
BR_MaintR1.indygov.org

Hourly	Daily

Response Times
For: BR_MaintR1.indygov.org: Null0
Tue, Jun 7 7:00 AM - Thu, Jun 9 6:00 PM

— Max Response Time
— Avg Response Time

NORTHROP GRUMMAN
DEFINING THE FUTURE

SLR 48: Router Availability

The Router Service Level Management report indicates whether interfaces are meeting contracted service levels for availability and response time.

Device List

Availability

Device
DecaturR1.indygov.org

Time Period	NGAvailability
05/16/2005 12:00 AM	100.00
05/17/2005 12:00 AM	100.00
05/18/2005 12:00 AM	100.00
05/19/2005 12:00 AM	100.00
05/20/2005 12:00 AM	100.00
05/21/2005 12:00 AM	100.00
05/22/2005 12:00 AM	100.00
05/23/2005 12:00 AM	100.00
05/24/2005 12:00 AM	100.00
05/25/2005 12:00 AM	100.00
05/26/2005 12:00 AM	100.00
05/27/2005 12:00 AM	100.00
05/28/2005 12:00 AM	100.00
05/29/2005 12:00 AM	100.00
05/30/2005 12:00 AM	100.00
05/31/2005 12:00 AM	100.00

Hourly	Daily

**Response Times
For: DecaturR1.indygov.org: Null0
Tue, Jun 7 7:00 AM - Thu, Jun 9 6:00 PM**

Response Time (ms): 200, 160, 120, 80, 40, 0

Time: Tue 12:00, Tue 18:00, Wed 00:00, Wed 06:00, Wed 12:00, Wed 18:00, Thu 00:00, Thu 06:00, Thu 12:00, Thu 1

— Max Response Time
— Avg Response Time

NORTHROP GRUMMAN
DEFINING THE FUTURE

SLR 21: Internet Server Availability

This Report details the System Up Time and Down Time. System Up Time is calculated based on the amount of time that the system's agent was running.

Internet Servers
Target Name

IMCIPD2K3.indygov.org

Monthly Summary of System Availability

Time Period	Average UpTime in Percent	Total DownTime in Minutes
Mon May 09	100.00	0.00
Tue May 10	100.00	0.00
Wed May 11	100.00	0.00
Thu May 12	100.00	0.00
Fri May 13	100.00	0.00
Sat May 14	100.00	0.00
Sun May 15	100.00	0.00
Mon May 16	100.00	0.00
Tue May 17	100.00	0.00
Wed May 18	100.00	0.00
Thu May 19	99.75	3.60
Fri May 20	100.00	0.00
Sat May 21	100.00	0.00
Sun May 22	100.00	0.00
Mon May 23	100.00	0.00
Tue May 24	100.00	0.00
Wed May 25	100.00	0.00
Thu May 26	100.00	0.00
Fri May 27	100.00	0.00
Sat May 28	100.00	0.00
Sun May 29	100.00	0.00
Mon May 30	100.00	0.00
Tue May 31	100.00	0.00
Wed Jun 01	100.00	0.00
Tue Jun 07	100.00	0.00
Wed Jun 08	100.00	0.00

NORTHROP GRUMMAN — DEFINING THE FUTURE

SLR 21: Internet Server Availability

This Report details the System Up Time and Down Time. System Up Time is calculated based on the amount of time that the system's agent was running.

Internet Servers

Target Name
IMCWSL01.indygov.org

Monthly Summary of System Availability

Time Period	Average UpTime in Percent	Total DownTime in Minutes
Mon May 09	100.00	0.00
Tue May 10	100.00	0.00
Wed May 11	100.00	0.00
Thu May 12	100.00	0.00
Fri May 13	100.00	0.00
Sat May 14	100.00	0.00
Sun May 15	100.00	0.00
Mon May 16	100.00	0.00
Tue May 17	100.00	0.00
Wed May 18	100.00	0.00
Thu May 19	100.00	0.00
Fri May 20	100.00	0.00
Sat May 21	100.00	0.00
Sun May 22	100.00	0.00
Mon May 23	100.00	0.00
Tue May 24	100.00	0.00
Wed May 25	100.00	0.00
Thu May 26	99.40	8.67
Fri May 27	100.00	0.00
Sat May 28	100.00	0.00
Sun May 29	100.00	0.00
Mon May 30	100.00	0.00
Tue May 31	100.00	0.00
Wed Jun 01	100.00	0.00
Tue Jun 07	100.00	0.00
Wed Jun 08	100.00	0.00

NORTHROP GRUMMAN — DEFINING THE FUTURE

SLR 21: Internet Server Availability

This Report details the System Up Time and Down Time. System Up Time is calculated based on the amount of time that the system's agent was running.

Internet Servers

Target Name
IMCWSL02.indygov.org

Monthly Summary of System Availability

Time Period	Average UpTime in Percent	Total DownTime in Minutes
Mon May 09	100.00	0.00
Tue May 10	100.00	0.00
Wed May 11	99.94	0.92
Thu May 12	100.00	0.00
Fri May 13	100.00	0.00
Sat May 14	100.00	0.00
Sun May 15	100.00	0.00
Mon May 16	100.00	0.00
Tue May 17	100.00	0.00
Wed May 18	100.00	0.00
Thu May 19	100.00	0.00
Fri May 20	100.00	0.00
Sat May 21	100.00	0.00
Sun May 22	100.00	0.00
Mon May 23	100.00	0.00
Tue May 24	100.00	0.00
Wed May 25	100.00	0.00
Thu May 26	99.36	9.18
Fri May 27	100.00	0.00
Sat May 28	100.00	0.00
Sun May 29	100.00	0.00
Mon May 30	100.00	0.00
Tue May 31	100.00	0.00
Wed Jun 01	100.00	0.00
Tue Jun 07	100.00	0.00
Wed Jun 08	100.00	0.00

NORTHROP GRUMMAN DEFINING THE FUTURE

SLR 21: Internet Server Availability

This Report details the System Up Time and Down Time. System Up Time is calculated based on the amount of time that the system's agent was running.

Internet Servers
Target Name

IMCWWA2K3.indygov.org

Monthly Summary of System Availability

Time Period	Average UpTime in Percent	Total DownTime in Minutes
Mon May 09	100.00	0.00
Tue May 10	100.00	0.00
Wed May 11	100.00	0.00
Thu May 12	100.00	0.00
Fri May 13	100.00	0.00
Sat May 14	100.00	0.00
Sun May 15	100.00	0.00
Mon May 16	100.00	0.00
Tue May 17	100.00	0.00
Wed May 18	99.73	3.90
Thu May 19	100.00	0.00
Fri May 20	100.00	0.00
Sat May 21	100.00	0.00
Sun May 22	100.00	0.00
Mon May 23	100.00	0.00
Tue May 24	100.00	0.00
Wed May 25	100.00	0.00
Thu May 26	100.00	0.00
Fri May 27	100.00	0.00
Sat May 28	100.00	0.00
Sun May 29	100.00	0.00
Mon May 30	100.00	0.00
Tue May 31	100.00	0.00
Wed Jun 01	100.00	0.00
Tue Jun 07	100.00	0.00
Wed Jun 08	100.00	0.00

Interface Reporting

Busy Hour Capacity Planning

This report provides details about the interfaces with the highest 30 day forecasted busy hour utilization. The busy hour (BH) utilization is the maximum average utilization across a complete hour during the day. F/H = Full or Half Duplex.

Interfaces with Highest Forecasted Utilization
Sorted by Forecasted Utilization

Device	Interface	F/H	Customer	BH Avg. Util.	F30 BH Util.	Util. Threshold	Descr.
4150_S3.indyg...	FastEthernet0/6	H	Customer Unas...	133	597	30	FastEthernet0/6

Busy Hour (BH) Utilization Forecast for 4150_S3.indygov.org: FastEthernet0/6

Grade of Service for 4150_S3.indygov.org: FastEthernet0/6
For Interval: Mon, May 30 12:00 AM - Fri, Jun 3 9:01 AM [GMT-05:00]

Interface Reporting

Busy Hour Capacity Planning

This report provides details about the interfaces with the highest 30 day forecasted busy hour utilization. The busy hour (BH) utilization is the maximum average utilization across a complete hour during the day. F/H = Full or Half Duplex.

Interfaces with Highest Forecasted Utilization
Sorted by Forecasted Utilization

Device	Interface	F/H	Customer	BH Avg. Util.	F30 BH Util.	Util. Threshold	Descr.
4150_S3.indyg...	FastEthernet0/14	H	Customer Unas...	129	577	30	FastEthernet0/14

Standard	History	Day of Week

Busy Hour (BH) Utilization Forecast for 4150_S3.indygov.org: FastEthernet0/14

Hourly	Daily	Monthly

Grade of Service for 4150_S3.indygov.org: FastEthernet0/14
For Interval: Mon, May 30 12:00 AM - Fri, Jun 3 9:01 AM [GMT-05:00]

Interface Reporting

Busy Hour Capacity Planning

This report provides details about the interfaces with the highest 30 day forecasted busy hour utilization. The busy hour (BH) utilization is the maximum average utilization across a complete hour during the day. F/H = Full or Half Duplex.

Interfaces with Highest Forecasted Utilization
Sorted by Forecasted Utilization

Device	Interface	F/H	Customer	BH Avg. Util.	F30 BH Util.	Util. Threshold	Descr.
4150_S3.indyg...	FastEthernet0/15	H	Customer Unas...	129	577	30	FastEthernet0/15

Standard	History	Day of Week

Busy Hour (BH) Utilization Forecast for 4150_S3.indygov.org: FastEthernet0/15

Legend:
- Baseline BH Average (H)
- + 30 Days BH (H)
- + 60 Days BH (H)
- + 90 Days BH (H)

Hourly	Daily	Monthly

Grade of Service for 4150_S3.indygov.org: FastEthernet0/15
For Interval: Mon, May 30 12:00 AM - Fri, Jun 3 9:01 AM [GMT-05:00]

Legend:
- Utilization Exceptions
- Discard Exceptions
- Error Exceptions

Interface Reporting

Busy Hour Capacity Planning

This report provides details about the interfaces with the highest 30 day forecasted busy hour utilization. The busy hour (BH) utilization is the maximum average utilization across a complete hour during the day. F/H = Full or Half Duplex.

Interfaces with Highest Forecasted Utilization
Sorted by Forecasted Utilization

Device	Interface	F/H	Customer	BH Avg. Util.	F30 BH Util.	Util. Threshold	Descr.
4150_S3.indyg...	FastEthernet0/16	H	Customer Unas...	129	577	30	FastEthernet0/16

Standard	History	Day of Week

Busy Hour (BH) Utilization Forecast for 4150_S3.indygov.org: FastEthernet0/16

Hourly	Daily	Monthly

Grade of Service for 4150_S3.indygov.org: FastEthernet0/16
For Interval: Mon, May 30 12:00 AM - Fri, Jun 3 9:01 AM [GMT-05:00]

Interface Reporting

Busy Hour Capacity Planning

This report provides details about the interfaces with the highest 30 day forecasted busy hour utilization. The busy hour (BH) utilization is the maximum average utilization across a complete hour during the day. F/H = Full or Half Duplex.

Interfaces with Highest Forecasted Utilization
Sorted by Forecasted Utilization

Device	Interface	F/H	Customer	BH Avg. Util.	F30 BH Util.	Util. Threshold	Descr.
4150_S3.indyg...	FastEthernet0/1	H	Customer Unas...	129	577	30	FastEthernet0/1

Standard	History	Day of Week

Busy Hour (BH) Utilization Forecast for 4150_S3.indygov.org: FastEthernet0/1

Legend:
- Baseline BH Average (H)
- + 30 Days BH (H)
- + 60 Days BH (H)
- + 90 Days BH (H)

Hourly	Daily	Monthly

Grade of Service for 4150_S3.indygov.org: FastEthernet0/1
For Interval: Mon, May 30 12:00 AM - Fri, Jun 3 9:01 AM [GMT-05:00]

Legend:
- Utilization Exceptions
- Discard Exceptions
- Error Exceptions

System Resource

Filesystem Forecast

The System Resource Filesystem Forecast report lists all filesystems within 90 days of a utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days To Threshold (DTT)
#### Filesystems Projected to be within 90 Days of 100% Utilization

System	Filesystem	DTT Utilization	Current Utilization	Projected Utilization 30	Projected Utilization 60	Projected Utilization 90
IMCAW2K1.indygov.org	C:\	0	92.25	95.07	97.08	99.09

Vendor	Model	O/S	Customer	Location	Filesystem Utilization Threshold
Microsoft	80686	NT 5.0 SvcPk 4	Customer Unassigned	Location Unassigned	70.00

Grade of Service (GOS)
IMCAW2K1.indygov.org
Tue, May 10, 2005 - Wed, Jun 1, 2005

Filesystem Utilization
IMCAW2K1.indygov.org
Mon, May 9, 2005 - Wed, Jun 1, 2005

System Resource

Filesystem Forecast

The System Resource Filesystem Forecast report lists all filesystems within 90 days of a utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days To Threshold (DTT)
Filesystems Projected to be within 90 Days of 100% Utilization

System	Filesystem	DTT Utilization	Current Utilization	Projected Utilization 30	Projected Utilization 60	Projected Utilization 90
IMCAW2K11.indygov.org	C:\	0	90.28	90.31	90.33	90.35

Vendor	Model	O/S	Customer	Location	Filesystem Utilization Threshold
Microsoft	80686	NT 5.0 SvcPk 4	Customer Unassigned	Location Unassigned	70.00

Grade of Service (GOS)
IMCAW2K11.indygov.org
Tue, May 10, 2005 - Wed, Jun 1, 2005

Filesystem Utilization
IMCAW2K11.indygov.org
Mon, May 9, 2005 - Wed, Jun 1, 2005

System Resource

Filesystem Forecast

The System Resource Filesystem Forecast report lists all filesystems within 90 days of a utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days To Threshold (DTT)
Filesystems Projected to be within 90 Days of 100% Utilization

System	Filesystem	DTT Utilization	Current Utilization	Projected Utilization 30	Projected Utilization 60	Projected Utilization 90
IMCAW2K13.indygov.org	C:\	63	79.93	85.64	89.71	93.78

Vendor	Model	O/S	Customer	Location	Filesystem Utilization Threshold
Microsoft	Intel Pentium+ or unknown	NT 5.0 SvcPk 4	Customer Unassigned	Location Unassigned	70.00

Grade of Service (GOS)
IMCAW2K13.indygov.org
Tue, May 10, 2005 - Wed, Jun 1, 2005

Filesystem Utilization
IMCAW2K13.indygov.org
Mon, May 9, 2005 - Wed, Jun 1, 2005

System Resource

Filesystem Forecast

The System Resource Filesystem Forecast report lists all filesystems within 90 days of a utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days To Threshold (DTT)
Filesystems Projected to be within 90 Days of 100% Utilization

System	Filesystem	DTT Utilization	Current Utilization	Projected Utilization 30	Projected Utilization 60	Projected Utilization 90
IMCAW2k1.indygov.org	C:\	0	92.21	94.99	96.99	99.00

Vendor	Model	O/S	Customer	Location	Filesystem Utilization Threshold
Microsoft	80686	NT 5.0 SvcPk 4	Customer Unassigned	Location Unassigned	70.00

Grade of Service (GOS)
IMCAW2k1.indygov.org
Tue, May 10, 2005 - Tue, May 31, 2005

Filesystem Utilization
IMCAW2k1.indygov.org
Mon, May 9, 2005 - Tue, May 31, 2005

System Resource

Filesystem Forecast

The System Resource Filesystem Forecast report lists all filesystems within 90 days of a utilization threshold, those closest to a threshold listed first. The report arms the system manager with the information required to assess performance and take preventive action. Select a system from the top table to display detailed information for that system.

Estimated Days To Threshold (DTT)
Filesystems Projected to be within 90 Days of 100% Utilization

System	Filesystem	DTT Utilization	Current Utilization	Projected Utilization 30	Projected Utilization 60	Projected Utilization 90
IMCWWB2K3.indygov.org	C:\	0	91.17	97.30	101.61	105.91

Vendor	Model	O/S	Customer	Location	Filesystem Utilization Threshold
Microsoft	Intel Pentium+ or unknown	NT 5.2 SvcPk	Customer Unassigned	Location Unassigned	70.00

Grade of Service (GOS)
IMCWWB2K3.indygov.org
#### Tue, May 10, 2005 - Wed, Jun 1, 2005

Filesystem Utilization
IMCWWB2K3.indygov.org
Mon, May 9, 2005 - Wed, Jun 1, 2005

System Resource

Hot Spots

The System Resource Hot Spots Report provides a listing of systems that have exceeded threshold conditions during the previous day. Offending systems are ranked by total number of exceptions. Select a system from the top table to display detailed information for that system.

Problem Summary for the Day
Systems with Most Exceptions for the Day
Wed, Jun 8, 2005

System	Total Exception	Queue Length Exception	CPU Utilization Exception	Memory Utilization Exception	Swap Utilization Exception	Page Out Exception
IMCAW2K14.indygov.org	48.00	0.00	0.00	22.00	24.00	2.00

Vendor	Model	O/S	Location	Customer
Microsoft	Intel Pentium+ or unknown	NT 5.0 SvcPk 4	Location Unassigned	Customer Unassigned

CPU Utilization Threshold	Memory Utilization Threshold	Swap Utilization Threshold	Run Queue Threshold	Pageout Threshold
80.00	70.00	70.00	3.00	5.00

Run Queue
IMCAW2K14.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

CPU Utilization
IMCAW2K14.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Memory Utilization
IMCAW2K14.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Swap Utilization
IMCAW2K14.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Page Outs per Second
IMCAW2K14.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Number of Processes
IMCAW2K14.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Exception Detail				Grade of Service

Details
.indygov.org

Time of the Exception	CPU Utilization	Memory Utilization	Queue Length	Swap Utilization

System Resource

Hot Spots

The System Resource Hot Spots Report provides a listing of systems that have exceeded threshold conditions during the previous day. Offending systems are ranked by total number of exceptions. Select a system from the top table to display detailed information for that system.

Problem Summary for the Day
Systems with Most Exceptions for the Day
Wed, Jun 8, 2005

System	Total Exception	Queue Length Exception	CPU Utilization Exception	Memory Utilization Exception	Swap Utilization Exception	Page Out Exception
IMCWWC2K3.indygov.org	33.00	7.00	4.00	15.00	0.00	7.00

Vendor	Model	O/S	Location	Customer
Microsoft	Intel Pentium+ or unknown	NT 5.2 SvcPk	Location Unassigned	Customer Unassigned

CPU Utilization Threshold	Memory Utilization Threshold	Swap Utilization Threshold	Run Queue Threshold	Pageout Threshold
80.00	70.00	70.00	3.00	5.00

Run Queue
IMCWWC2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

CPU Utilization
IMCWWC2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Memory Utilization
IMCWWC2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Swap Utilization
IMCWWC2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Page Outs per Second
IMCWWC2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Number of Processes
IMCWWC2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Exception Detail	Grade of Service

Details
indygov.org

Time of the Exception	CPU Utilization	Memory Utilization	Queue Length	Swap Utilization

System Resource

Hot Spots

The System Resource Hot Spots Report provides a listing of systems that have exceeded threshold conditions during the previous day. Offending systems are ranked by total number of exceptions. Select a system from the top table to display detailed information for that system.

Problem Summary for the Day
Systems with Most Exceptions for the Day
Wed, Jun 8, 2005

System	Total Exception	Queue Length Exception	CPU Utilization Exception	Memory Utilization Exception	Swap Utilization Exception	Page Out Exception
IMCAW2K1.indygov.org	25.00	0.00	0.00	24.00	0.00	1.00

Vendor	Model	O/S	Location	Customer
Microsoft	80686	NT 5.0 SvcPk 4	Location Unassigned	Customer Unassigned

CPU Utilization Threshold	Memory Utilization Threshold	Swap Utilization Threshold	Run Queue Threshold	Pageout Threshold
80.00	70.00	70.00	3.00	5.00

Run Queue
IMCAW2K1.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

CPU Utilization
IMCAW2K1.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Memory Utilization
IMCAW2K1.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Swap Utilization
IMCAW2K1.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Page Outs per Second
IMCAW2K1.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Number of Processes
IMCAW2K1.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Exception Detail	Grade of Service

Details
indygov.org

Time of the Exception	CPU Utilization	Memory Utilization	Queue Length	Swap Utilization

System Resource

Hot Spots

The System Resource Hot Spots Report provides a listing of systems that have exceeded threshold conditions during the previous day. Offending systems are ranked by total number of exceptions. Select a system from the top table to display detailed information for that system.

Problem Summary for the Day
Systems with Most Exceptions for the Day
Wed, Jun 8, 2005

System	Total Exception	Queue Length Exception	CPU Utilization Exception	Memory Utilization Exception	Swap Utilization Exception	Page Out Exception
IMCAW2K7.indygov.org	25.00	0.00	0.00	24.00	0.00	1.00

Vendor	Model	O/S	Location	Customer
Microsoft	80686	NT 5.0 SvcPk 4	Location Unassigned	Customer Unassigned

CPU Utilization Threshold	Memory Utilization Threshold	Swap Utilization Threshold	Run Queue Threshold	Pageout Threshold
80.00	70.00	70.00	3.00	5.00

Run Queue
IMCAW2K7.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

CPU Utilization
IMCAW2K7.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Memory Utilization
IMCAW2K7.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Swap Utilization
IMCAW2K7.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Page Outs per Second
IMCAW2K7.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Number of Processes
IMCAW2K7.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

	Exception Detail		Grade of Service	

Details
.indygov.org

Time of the Exception	CPU Utilization	Memory Utilization	Queue Length	Swap Utilization

System Resource

Hot Spots

The System Resource Hot Spots Report provides a listing of systems that have exceeded threshold conditions during the previous day. Offending systems are ranked by total number of exceptions. Select a system from the top table to display detailed information for that system.

Problem Summary for the Day
Systems with Most Exceptions for the Day
Wed, Jun 8, 2005

System	Total Exception	Queue Length Exception	CPU Utilization Exception	Memory Utilization Exception	Swap Utilization Exception	Page Out Exception
IMCACD2K3.indygov.org	24.00	0.00	0.00	24.00	0.00	0.00

Vendor	Model	O/S	Location	Customer
Microsoft	Intel Pentium+ or unknown	NT 5.2 SvcPk	Location Unassigned	Customer Unassigned

CPU Utilization Threshold	Memory Utilization Threshold	Swap Utilization Threshold	Run Queue Threshold	Pageout Threshold
80.00	70.00	70.00	3.00	5.00

Run Queue
IMCACD2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

CPU Utilization
IMCACD2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Memory Utilization
IMCACD2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Swap Utilization
IMCACD2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Page Outs per Second
IMCACD2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Number of Processes
IMCACD2K3.indygov.org
Wed, Jun 8 12:00 AM - Wed, Jun 8 11:00 PM

Exception Detail	Grade of Service

Details